

## CHAPTER

# 1



# PLANT REPRODUCTION

### Learning Objectives:

- Reproduction in plants
- Growing plants from seeds
- Growing plants from stems, roots and leaves
- Seed dispersal


**R**eproduction is defined as a process by which an organism, whether a plant or an animal, produces new individuals. In most of the plants, they make new plants through their seeds. In this chapter, we will also explore the ways of producing new plants from different parts of plant.

## REPRODUCTION IN PLANTS

Most of the plants bear flowers. These flowers develop into seeds. These seeds can give rise to a new plant of the same type as the parent plant.



A. Once the flowers bloom, their petals dry and fall off, and the flowers turn into small fruits.



B. These fruits grow big in size. They may have a seed or many seeds inside them.



C. These seeds give rise to the new plants.

Life stages of plant life



Seeds are important source of food. All the grains that we eat are seeds. For example, rice, wheat, gram, kidney beans, peas, are all examples of seeds. Coriander, mustard and cumin are also seeds. Seeds are of different shapes and sizes. Some seeds like castor, datura, mango, are big in size while the seeds of mustard, cardamom, cumin are very small in size.



Different shapes and sizes of seeds



Some seeds like that of cardamom have a pleasant smell


## GROWING PLANTS FROM SEEDS

Plants produce many seeds. But not all the seeds grow into new plants. Seeds require favourable conditions to grow into new plants. Only those seeds which get the right conditions grow into plants. These right conditions are:

- Seeds should be healthy. Damaged seeds do not grow into new plants.
- Seeds should get right type of soil and minerals from it.
- Seeds should get right amount of water, air, light and warmth.

### Structure of a Seed

A seed is covered by a **seed coat**. Seed coat protects the seed. Inside the seed coats, seeds have fleshy seed leaves. These are also called **cotyledons**. They store food for the baby plant. The baby plant uses this food till it grows its own roots and leaves. After the food from the cotyledons is used, young plants continue making their own food through photosynthesis.




Structure of a dicot seed



### Know more

Some seeds have only one "seed leaf". They are called **monocotyledons**. Seeds having two seed leaves are called **dicotyledons**.



### Germination

When a seed gets all the favourable conditions, it grows into a baby plant, which is called a **seedling**. This process of a seed turning into a seedling is called **germination**. During germination, when seed receives adequate water, it swells leading to the bursting of its seed coat and gives rise to the baby plant. Inside the seed, the developing embryo gets its food from cotyledons. The baby plant first develops its root and then a tiny green shoot emerges from the other end.




Stages of growth of a seed to a baby plant

As the baby plant grows, it starts developing small green leaves inside the seed. The growing hook-shaped shoot straightens out and pushes the cotyledons above the ground. Gradually, the shoot elongates to form a proper stem and its leaves unfold eventually falling off the cotyledons. Finally, a mature plant does not show the cotyledons because they shrink and disappear with the growth of the baby plant.

### ACTIVITY

Soak some moong seeds or green gram in water for 6 – 7 hours. Drain the water and tie *moong* in a clean piece of muslin cloth. Sprinkle some water on the cloth to keep it wet. Observe it after a day. You will see small white root-like structures coming out of the *moong* seeds. Take one seed in your hand. Remove the green coloured seed coat of the *moong* carefully and observe the other parts of the seed.





## GROWING PLANTS FROM STEM, ROOTS AND LEAVES


Not all flowering plants depend on their seeds to reproduce new plants. Sometimes, new plants can grow from stems, roots or leaves of the parent plants.

### Plants from Stem

The stems of rose, hibiscus and money plant can be used to grow new plants. Potatoes, ginger and onions are examples of underground stems. These can also be used to grow new plants. Potatoes and ginger have "eyes" on them. If we cut a piece of potato having an eye on it and put this piece in soil, a new potato plant will grow out of this piece.



Stem cutting gives rise to a new plant



New plants arising from the eye of the potato

### ACTIVITY


**Objective:** To grow a new plant from the stem

**Materials needed:** A potato, bottle, toothpick, knife, water, soil

#### Steps:

- Take a potato. Soak it in a bottle filled with water with the help of toothpicks.
- Keep the lower half of the potato immersed in water.
- After a few days, cut the potato into many parts such that each part has a bud.
- Take one part of this potato with bud and sow it in damp soil and water it every day.

**Observation:** After a few days, the sown piece of potato grows into a new plant.






## Plants from Roots

Some roots, like those of sweet potato, dahlia, carrot and radish can give rise to new plants.

If we cut the top portion of a carrot and plant it in the ground, new plant will grow from it.



Carrot tops planted in the soil



Buds on bryophyllum leaf

## Plants from Leaves

Sometimes new plants can grow from leaves. Bryophyllum is a common example of a plant which produces new plants from its leaves. Tiny buds grow in the margin of the parent leaf. After sometime, they fall off on the ground and grow into new plants. Each bud can give rise to a new baby plant.

## SEED DISPERSAL

Fruits contain seeds and seeds give rise to new plants. If all the seeds of a plant fall just beneath it in the same place, they will not get enough nutrients, space and warmth to grow. Therefore, it is important that these seeds are distributed over a wide area where they stand a better chance of finding the right conditions to grow. The process by which seeds are carried to the new places away from the parent plant is known as **seed dispersal**. Dispersal means the scattering or distribution of something.

## Different Ways of Seed Dispersal

Depending on the type of the seed and many other factors in nature, there are many ways of dispersal of seeds. We can divide it into four types: **wind dispersal**, **water dispersal**, **animal dispersal** and **explosion or bursting**.

### Wind Dispersal

Some seeds are carried to a new place by the wind. These seeds are very light like the seeds of the orchid are almost as fine as dust.

Many seeds like that of dandelion, have hairy growths which act as parachutes and carry the seeds far away in the wind. The fruits of sycamore have winged seeds and are dispersed by the wind.





a. Orchid seeds



b. Dandelion seeds




c. Sycamore seeds

## Animal Dispersal

Some plants have juicy fruits that animals like to eat. Only the juicy, fleshy part of the fruits is digested inside these animal's bodies. The stones and pips are excreted and produce new plants. This can take place far away from the parent plant as animals keep roaming about. Blackberry, cherry, apples, etc., are dispersed in this way. Birds also help to disperse the seeds through their droppings. Some fruits like that of the burdock plant and *datura* have seeds with hook-like structures. These seeds catch on to the fur of animals and are carried away with the animal.



a. Dispersal of seeds through bird



b. Dispersal of seeds by rat

Human beings also eat fruits like orange, mango, pear and plums. The fleshy part of the fruit is eaten and the seeds are thrown away. When the seeds get the right conditions they germinate.




## Water Dispersal

This method works for seeds which can float in water. Coconut seeds can travel thousands of kilometres across seas and oceans. Seeds of lotus and lily are also dispersed by water.



Dispersal of coconut seed by water



Dispersal of pea seeds by explosion

## Dispersal by Explosion

Some plants have pods which explode or burst open when ripe. This mode of dispersal of seeds is called **explosion**. It causes the scattering of the seeds away from the parent plant. Examples of such plants are ladyfinger, peas, beans and balsam.

### SUMMARY

- Reproduction is the process by which an organism produces new individuals.
- Most plants reproduce through seeds.
- The process of a seed developing into a new plant is called germination.
- A plant needs air, water, nutrients from soil, light and warmth to grow.
- New plants can also grow from other plant parts like stem, roots and leaves.
- The process by which seeds are carried to a new place away from parent plant is known as seed dispersal.
- Wind, water, animals are some main agents of dispersal.
- Seeds of some plants are also dispersed when they explode once they are ripe.

### GLOSSARY


- **Seed coat:** outer covering of the seed which protects it against germs, injury and harsh weather conditions
- **Cotyledons:** fleshy part of the seed which stores food for the baby plant
- **Germination:** process of growth of a plant from seed into a new plant or seedling
- **Dispersal:** process of scattering of seeds away from the parent plant
- **Explosion:** dispersal of seeds with pressure on bursting of the dried seed pod

## Objective Type Questions

1. Give one word for the following.

- (a) Outer covering of a seed .....
- (b) The part of a seed that contains stored food for the baby plant .....
- (c) A fruit that bursts with great force scattering the seeds .....
- (d) A baby plant formed after germination .....
- (e) A plant that gives rise to many new plants if its leaf falls on moist soil .....

2. Name the parts in the picture given below.



3. Draw lines to match each type of seed to its agent of dispersal.

(a) Coconut

(b) Guava

(c) Dandelion

(d) Lotus

(e) Burdock

(f) Balsam

(g) Sycamore

Wind

Water

Animals

Explosion



4. Collect five different kinds of seeds and soak them overnight. Next day, remove the seed coat and look for cotyledons in them. Note your observation in the given table.

S.No.	Name of the plant of which seed is taken	Number of cotyledons

### Subjective Type Questions

5. Answer the following.

- What is germination?
- What is seed dispersal?
- Name the different ways plants disperse seeds, giving examples of each.
- How do animals help in seed dispersal?
- How is water helpful in seed dispersal? Give examples.
- Do humans also help in seed dispersal? How? Give an example.

### Multiple Choice Questions (MCQs)






6. Tick (✓) the correct options.

- Seed leaves are also known as
  - cotyledons
  - seedling
  - plant
  - seed coat
- What are the conditions for a seed to grow into a new plant
  - right amount of air
  - right amount of water
  - right amount of warmth
  - all of these
- Underground stems like potato and ginger have ..... on them.
  - ears
  - nose
  - eyes
  - mouth
- Which of the following plants grows by the process of stem cutting
  - potato
  - rose
  - sweet potato
  - all of these
- Sycamore seeds have these special parts to help them in dispersal through air.
  - hairy growth
  - wing-like structures
  - eyes
  - seed coat



**Questions Based on Higher Order Thinking Skills (HOTS)**

- 7. Why are flowers important for the plants?
- 8. All seeds do not grow into new plants. Can you tell why?
- 9. Why is seed dispersal necessary?
- 10. Seeds can be dispersed in many different ways. Below are some examples. Look at the shapes of the seeds. Write down your ideas about how the design of a seed might help it to be dispersed in the way it is.

Method of Dispersal	Seed Example	How does seed design help it to be dispersed
(a) Wind		
(b) Water		
(c) Animal		
(d) Animal		
(e) Explosion		

**ANSWERS**

1. (a) Seed coat (b) Cotyledon (c) Pea (d) Seedling (e) Bryophyllum 3. Wind: (c) Dandelion (g) Sycamore; Water: (a) Coconut (d) Lotus; Animals: (b) Guava (e) Burdock; Explosion: (f) Balsam 6. (a)(i); (b)(iv); (c)(iii); (d)(iv); (e)(ii)